



Company short name

Address

Report Administration

Permission list

Prepared by: Resource Analyzer

Created: 9/23/2007 12:32:55 PM

1) AD

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	ADM_error_log_View	Viewing of the dialog window <Error Log> captured by RA during its activity . The dialog is available in the menu <File> / <Administration>.
2	ADM_login_log_View	Viewing of the dialog window <Login log> into RA. The dialog window is in the menu <File> / <Administration>.
3	ADM_Open Help_Add	Adding new topic in the help dialog window <Open Help> in RA. The dialog is available in the menu <Help>.
4	ADM_Open Help_Change	Changing of the description of the topic in the help dialog window <Open Help> in RA. The dialog is available in menu <Help>.
5	ADM_Open Help_Delete	Deleting the topic in the help dialog window <Open Help> in RA. The dialog is available in the menu <Help>.
6	ADM_Open Help_View	Viewing of the help dialog window <Open Help> in RA. The dialog is available in the menu <Help>.
7	ADM_Permissions_Change	Changing of the permissions for RA user in the dialog <User permission edit>. The dialog is available in the menu <File> / <Administration>.
8	ADM_Permissions_Delete	Deleting all permissions for every functionality of RA for the user in the dialog <User permission edit>. The dialog is available in the menu <File> / <Administration>.
9	ADM_Permissions_PasswordAdd	Adding or changing the password for the users of RA in the dialog <User permission edit >. The dialog is available in the menu <File> / <Administration>.
10	ADM_Permissions_PasswordDelete	Deleting the password for the user of RA in the dialog <User permission edit>. The dialog is available in the menu <File> / <Administration>.
11	ADM_Permissions_View	Viewing of the dialog <User permission edit > for editing of user permissions in RA . The dialog is available in the menu <File> / <Administration>.

12	ADM_project_View	Viewing of the administrative dialogs in RA – project.
13	ADM_UserPermissions_AddPassword	Adding the password for RA in the dialog <User permission edit>. The dialog is available in the menu <File> / <Administration>.
14	ADM_UserPermissions_Change	Editing the permissions for RA in the dialog <User permission edit >. The dialog is available in the menu <File> / <Administration>.
15	ADM_UserPermissions_Delete	Deleting of the permissions for RA in the dialog <User permission edit >. The dialog is available in the menu <File> / <Administration>.
16	ADM_UserPermissions_PasswordDelete	Deleting of the password for RA in the dialog <User permission edit >. The dialog is available in the menu <File> / <Administration>.
17	ADM_UserPermissions_View	Viewing of the dialog <User permission edit >. The dialog is available in the menu <File > / <Administration>.
18	ADM_View	Viewing of the list of the administrative dialogs in menu <Administration>. The dialog is available in the menu <File>.

2) AU

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	AUDITS_ContinuousSupervision_AuditInProgressStatus	Changing of the software audit status into “audit in progress” for the selected workstation. The functionality is available in the dialog <Software and Audits> / <Audits - Continuous supervision of workstation>.
2	AUDITS_ContinuousSupervision_BeforeAuditStatus	Changing of the software audit status into “before audit” for the selected workstation. The functionality is available in the dialog <Software and Audits> / <Audits - Continuous supervision of workstation>.
3	AUDITS_ContinuousSupervision_DriverAssociation	Associating the selected software with the Drivers group. The Drivers group contains drivers for printers, recorders and other hardware on the workstation. The functionality is available in the dialog <Software and Audits> / <Audits - Continuous supervi
4	AUDITS_ContinuousSupervision_ESAssociation	Associating the selected software with the Excluded Software group. The functionality is available in the dialog <Software and Audits> / <Audits - Continuous supervision of workstation>.
5	AUDITS_ContinuousSupervision_ExcludedStatus	Changing of the software audit status into “excluded from audit” for the selected workstation. The functionality is available in the dialog <Software and Audits> / <Audits - Continuous supervision of workstation>.
6	AUDITS_ContinuousSupervision_FREEAssociation	Creation of the Freeware license basing upon the scanned software and associating it with the software. The functionality is available in the dialog <Software and Audits> / <Audits - Continuous supervision of workstation>.

7	AUDITS_ContinuousSupervision_PositiveStatus	Changing of the software audit status into "positive" for the selected workstation. The functionality is available in the dialog <Software and Audits> / <Audits - Continuous supervision of workstation>.
8	AUDITS_ContinuousSupervision_SoftwareEdit	Viewing of the dialog <Audits-Correspondence with users>. The possibility for manual editing of the software. The dialog is available in the menu <Software and Audits> / <Audits - Continuous supervision of workstation>.
9	AUDITS_ContinuousSupervision_Update	Starting of the automatic procedure for updating the state of the software audit for a workstation. >. The dialog is available in the menu <Software and Audits>.
10	AUDITS_ContinuousSupervision_View	Viewing of the dialog <Audits- Continuous supervision of workstation>. The dialog is available in the menu <Software and Audits>.
11	AUDITS_Correspondence_ContentEdit	Editing of the title and content of the correspondence being sent and saving it in the database in the dialog <Audits-Correspondence with users>. The dialog is available in the menu <Software and Audits>.
12	AUDITS_Correspondence _SendingEmail	Sending the e-mail for one user in the dialog <Audits -Correspondence with users>. The dialog is available in the menu <Software and Audits>.
13	AUDITS_Correspondence _SendingEmails	Sending the e-mail for group of users in the dialog <Audits-Correspondence with users>. The dialog is available in the menu <Software and Audits>.
14	AUDITS_Correspondence_CorrespondenceView	Viewing of the correspondence sent to the user in the dialog <Audits-Correspondence with users>. The dialog is available in the menu <Software and Audits>.
15	AUDITS_Correspondence_View	Viewing of the dialog <Audits-Correspondence with users>. The dialog is available in the menu <Software and Audits>.
16	AUDITS_Trainings_View	Viewing of the dialog <Audits-trainings>.

3) SL

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	DICTIONARY_IPAddresses_Add	Adding the subnetwork in the dialog <Network Address Dictionary>. The dialog is available in the menu <File> / <Dictionaries>.
2	DICTIONARY_IPAddresses_Change	Changing the details of the subnetwork. The function is available in the menu of the dialog <File> / <Dictionaries> / <IP Address Dictionary>.
3	DICTIONARY_IPAddresses_Delete	Deleting of the IP addresses for the selected subnetwork. The function is available in the menu of the dialog <File> / <Dictionaries> / <IP Address Dictionary>.
4	DICTIONARY_IPAddresses_NetworkGeneration	Generating the addresses for the network in the table MATRIX. The function is available in the

		menu of the dialog <File> / <Dictionaries> / <IP Address Dictionary>.
5	DICTIONARY_IPAddresses_View	Viewing of the dialog <IP Address Dictionary> for editing of the dictionary of the IP addresses. The dialog is available in the menu <File> / <Dictionaries> .
6	DICTIONARY_IPObjects_Change	Changing of the description of the IP object in the dialog <IP Objects and PR type dictionary>. The dialog is available in the menu <File> / <Dictionaries>.
7	DICTIONARY_PRStauts_Delete	Deleting the existing status of the Permanent Resource (PR) in the dialog <PR status dictionary>. The dialog is available in the menu <File> / <Dictionaries>.
8	DICTIONARY_PRStauts_View	Viewing of the <PR status dictionary> for editing PR status. The dialog is available in the menu <File> / <Dictionaries>.
9	DICTIONARY_Access	Access to the menu <File> / <Dictionaries>.
10	DICTIONARY_Companies_View	Viewing the window <External Companies> for editing of the list of the companies, suppliers and external cooperates. The dialog is available in the menu <File> / <Dictionaries>.
11	DICTIONARY_Departments_View	Viewing of the dialog <Departments> for editing of the type of objects used in PR. The dialog is available in the menu <File> / <Dictionaries>.
12	DICTIONARY_IPObjects_Add	Adding new IP Object in the dialog <IP Objects and PR type dictionary> . The dialog is available in the menu <File> / <Dictionaries>.
13	DICTIONARY_IPObjects_Delete	Deleting of the IP object in the dialog <IP Objects and PR type dictionary>. The dialog is available in the menu <File> / <Dictionaries>.
14	DICTIONARY_IPObjects_View	Viewing of the dialog <IP Objects and PR type dictionary> for editing of the type of objects used in PR. The dialog is available in the menu <File> / <Dictionaries>.
15	DICTIONARY_LicenseTypes_View	View of the dialog <License types> for license type edit.
16	DICTIONARY_MultiaddressWorkstation_Add	Adding the new workstation to the list <Multiaddress Workstation Dictionary>. The dialog is available in the menu <File> / <Dictionaries>.
17	DICTIONARY_MultiaddressWorkstation_Change	Changing of the information about the workstation in the <Multiaddress Workstation Dictionary>. The dialog is available in the menu <File> / <Dictionaries>.
18	DICTIONARY_MultiaddressWorkstation_Delete	Deleting of the workstation from the list <Multiaddress Workstation Dictionary>. The dialog is available in the menu <File> / <Dictionaries>.
19	DICTIONARY_MultiaddressWorkstation_View	Viewing of the dialog <Multiaddress Workstation Dictionary> for editing the list of the workstations having multiple IP addresses. The dialog is available in the menu <File> / <Dictionaries>.
20	DICTIONARY_PRStauts_Add	Adding the new status of the Permanent Resource (PR) in the dialog <PR status dictionary>. The dialog is available in the

		menu <File> / <Dictionaries>.
21	DICTIONARY_PRStauts_Change	Changing the existing status of the Permanent Resource (PR) in the dialog <PR status dictionary>. The dialog is available in the menu <File> / <Dictionaries>.

4) IM

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	IMPORT_Nontypical_View	Viewing of the dialog from non-typical imports for external data sources (.XLS, .CVS, .txt files). The dialog is available in the menu <File> /<Imports>.
2	IMPORT_Other RA_View	Viewing of the dialog <Imports form other RA applications> designed for importing XML data from other RA application (e.g. working in the other unavailable network). The dialog is available in the menu <File> /<Imports>.
3	IMPORT_RA scanner_View	Viewing of the dialog <Imports from RA scanner> for importing XML data from RA-scanner application. The dialog is available in the menu <File> /<Imports>.
4	IMPORT_View	Viewing the choice of import dialogs. The dialog is available in the menu <File> /<Imports>.

5) LI

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	LICENSES_Association_Add	Adding the association of the selected software with the selected license executed in the submenu 1 in the dialog <Licenses – association with the scanned software>. The function is available in the menu of the dialog <Software and Audits> / <Licenses – a
2	LICENSES_Association_AutimaticAssociation	Executing the algorithm for automatic associations prepared basing upon <Table of associations> executed in submenu 2. The function is available in the menu of the dialog <Software and Audits> / <Licenses – association with the scanned software>.
3	LICENSES_Association_AutomaticAssociationDialog	Displaying the dialog <Automatic Association> executed in the submenu 1 The function is available in the menu of the dialog <Software and Audits> / <Licenses – association with the scanned software>.
4	LICENSES_Association_Count	Changing of the properties of COUNT associated with the software license executed in the submenu 2. The property COUNT has two values (true/false) and is responsible for adding the scanned software into the total count of the software found on the worksta
5	LICENSES_Association_Delete	Deleting of the association of the license with the software executed in the submenu 2. The function is available in the menu of the dialog <Software and Audits> / <Licenses –

		association with the scanned software>.
6	LICENSES_Association_ES	Displaying the dialog Excluded Software executed in the submenu 1. The function is available in the menu of the dialog <Software and Audits> / <Licenses – association with the scanned software>.
7	LICENSES_Association_ESAssociation	Creating the association of the selected software with the Excluded Software group (storing components and updates of MS Windows) executed in the submenu 1. The function is available in the menu of the dialog <Software and Audits> / <Licenses – associatio
8	LICENSES_Association_FREE	Creating the freeware license record and adding the association of the selected software with the created license in the submenu 1. The function is available in the menu of the dialog <Software and Audits> / <Licenses – association with the scanned softw
9	LICENSES_Association_View	Viewing of the dialog <Licenses – association with the scanned software> for associating the licenses with the scanned software. The dialog is available in the menu <Software and Audits>.
10	LICENSES_Association_DRIVERS	Creating the association of the selected software with the paralicense DRIVERS (containing mainly device drivers) executed in the submenu 1. The function is available in the menu of the dialog <Software and Audits> / <Licenses – association with the scan
11	LICENSES_AutomaticAssociation_Access	Launching the dialog <Automatic association>. The function is available in the menu <Software and Audits>.
12	LICENSES_Edit_Add	Adding new license in the dialog <Licenses>. The dialog is available in the menu <Software and Audits>.
13	LICENSES_Edit_Change	Changing of the elements of the software license in the dialog <Licenses>. The dialog is available in the menu <Software and Audits>.
14	LICENSES_Edit_Delete	Permanent deletion of the selected license in the dialog <Licenses>. The dialog is available in the menu <Software and Audits>.
15	LICENSES_Edit_History	Launching the dialog <Change history> in the dialog <Licenses>. The function is available in the menu of the dialog <Software and Audits> / <Licenses>.
16	LICENSES_Edit_View	Viewing of the dialog <Licenses> for editing of the software licenses. The dialog is available in the menu <Software and Audits>.
17	LICENSES_History_Delete	Deleting of the history of the selected software license in the dialog <Licenses-history>. The function is available in the menu <Software and Audits>.
18	LICENSES_History_View	Viewing of the dialog <Licenses-history> for browsing through the history of editing software licenses. The dialog is available in

the menu <Software and Audits>.

6) ST

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	PR_PR -history_Delete	Deleting the history of the selected PR. The function is available in the dialog <Scanning and Objects> / <PR - history>.
2	PR_PR -history_View	Viewing the dialog with the history of changes in PRs The function is available in the dialog <Scanning and Objects> / <PR - history>.
3	PR_PR_Add	Adding the new Permanent Resource (PR) in the dialog <Permanent Resources The dialog is available in the menu <Scanning and Objects>.
4	PR_PR_Change	Changing the records on PR in the dialog for editing PRs. The function is available in the dialog <Scanning and Objects> / <Permanent Resources>.
5	PR_PR_Delete	Deleting the record about the PR in the dialog for editing PRs. The function is available in the dialog <Scanning and Objects> / <Permanent Resources>.
6	PR_PR_History	Starting the dialog <PR-history> in the Permanent Resources dialog. Starting with the button or submenu. The function is available in the dialog <Scanning and Objects> / <Permanent Resources>.
7	PR_PR_LabelPrint	Printing the label with the bar code for permanent Resource in the dialog <Permanent Resources The dialog is available in the menu <Scanning and Objects>.
8	PR_PR_SOAssociation	Creating the association of the PR with the Scannable Object (SO) in the dialog for editing PRs. Started from the pop-up menu. The function is available in the dialog <Scanning and Objects> / <Permanent Resources>.
9	PR_PR_SOAssociationDelete	Deleting the association of the PR with the Scannable Object (SO) in the dialog for editing PRs. Started from the pop-up menu. The function is available in the dialog <Scanning and Objects> / <Permanent Resources>.
10	PR_PR_View	Viewing the window <Permanent Resources> for editing PRs. The dialog is available in the menu <Scanning and Objects>.

7) RP

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	REPORTS_Detailed_Administration	Access to the option for displaying the reports of the <Administration> group. The option is available in the dialog <Reports> / <Detailed Reports>.
2	REPORTS_Detailed_Audits	Access to the option for displaying the reports of the <Audits> group. The option is available in the dialog <Reports> / <Detailed Reports>.
		Access to the option for displaying the reports of the <Dictionaries> group. The option is

3	REPORTS_Detailed_Dictionaries	available in the dialog <Reports> / <Detailed Reports>.
4	REPORTS_Detailed_Export	Access to the option for exporting of the report in .txt file. The option is available in the dialog <Reports> / <Detailed Reports>.
5	REPORTS_Detailed_Hardware	Access to the option for displaying the reports of the <Hardware> group. The option is available in the dialog <Reports> / <Detailed Reports>.
6	REPORTS_Detailed_Licenses	Access to the option for displaying the reports of the <Licenses> group. The option is available in the dialog <Reports> / <Detailed Reports>.
7	REPORTS_Detailed_PermanentResources	Access to the option for displaying the reports of the <Permanent Resources> group. The option is available in the dialog <Reports> / <Detailed Reports>.
8	REPORTS_Detailed_ReportGeneration	Access to the option for generating the report in HTML file. The option is available in the dialog <Reports> / <Detailed Reports>.
9	REPORTS_Detailed_ScannableObjects	Access to the option for displaying the reports of the <Scannable Objects> group. The option is available in the dialog <Reports> / <Detailed Reports>.
10	REPORTS_Detailed_ScanTasks	Access to the option for displaying the reports of the <Scanning Tasks> group. The option is available in the dialog <Reports> / <Detailed Reports>.
11	REPORTS_Detailed_Software	Access to the option for displaying the reports of the <Software> group. The option is available in the dialog <Reports> / <Detailed Reports>.
12	REPORTS_Detailed_SoftwareSettings	Access to the option for displaying the reports of the <Software Settings> group. The option is available in the dialog <Reports> / <Detailed Reports>.
13	REPORTS_Detailed_Users	Access to the option for displaying the reports of the <Users> group. The option is available in the dialog <Reports> / <Detailed Reports>.
14	REPORTS_Detailed_View	Access to the dialog <Detailed Reports>. The dialog is available in the menu <Reports>.
15	REPORTS_Manager_View	Viewing of the dialog <Manager report>. The dialog is available in the menu <Reports>.
16	REPORTS_To10_View	The <Top 10> reports The dialog is available in the menu <Reports>.
17	REPORTS_ToDo_View	The report <To Do>. The dialog is available in the menu <Reports>.
18	REPORTS_Trainings_Access	Access to the dialog for managing of the trainings for IT users. The dialog is available in the menu <IT Users> / <Users – Trainings>.

8) SK

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	SCANS_Files_Access	Scanning of the accessible network in the dialog <File scans>. The dialog is available from the menu <Scanning and Objects>.
2	SCANS_Files_View	Viewing the dialog <File Scans>. The dialog is available from the menu <Scanning and Objects>.

3	SCANS_Registry_Access	Access to the execution of the scans of the accessible network in the dialog <Scans>. The dialog is available from the menu <Scanning and Objects>.
4	SCANS_Tasks_View	Viewing of the dialog <Scans – tasks> The dialog is available from the menu <Scanning and Objects>.
5	SCANS_View	Viewing of the Scanning dialog.

9) US

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	SETTINGS_Global_Save	Saving the global settings for RA software. The dialog is available in the menu <File> / <Program settings> / <Global>.
2	SETTINGS_Global_View	Viewing the dialog for global settings for RA software. The dialog is available in the menu <File> / <Program settings> / <Global>.
3	SETTINGS_Local_Save	Saving the local settings of RA software. The function is available in the menu <File> / <Program settings> / <Local>.
4	SETTINGS_Local_View	Viewing the dialog for local settings (for current user) of the RA software. The function is available in the menu <File> / <Program settings> / <Local>.
5	SETTINGS_View	Access for choosing the public and private settings of the RA software The function is available in the menu <File> / <Program settings>.

10) OS

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	SO_IP_AvailablePrinters	Changing the status of the printer into “Available”. The function is available in the menu of the dialog <Scanning and Objects> / <SO – IP addresses>.
2	SO_IP_IPStatusChangeToAvailable	Changing of the IP address status to “Available”. The function is available in the menu of the dialog <Scanning and Objects> / <SO – IP addresses>.
3	SO_IP_IPStatusChangeToDHCP	Changing of the IP address status to “DHCP”. The function is available in the menu of the dialog <Scanning and Objects> / <SO – IP addresses>.
4	SO_IP_IPStatusChangeToReserved	Changing of the IP address status to “Reserved”. The function is available in the menu of the dialog <Scanning and Objects> / <SO – IP addresses>.
5	SO_IP_IPStatusChangeToS	Changing of the IP address status to “Permanent element of the network”. The permanent elements are routers, switches, time servers and network printers. The function is available in the menu of the dialog <Scanning and Objects> / <SO – IP addresses>.
		Changing of the IP address status to “Used”. The function is available in the menu of the

6	SO_IP_IPStatusChangeToUsed	dialog <Scanning and Objects> / <SO – IP addresses>.
7	SO_IP_MFGPrinters	Changing the status of the printer into “MFG”. The function is available in the menu of the dialog <Scanning and Objects> / <SO – IP addresses>.
8	SO_IP_PrinterAdd	Access for creation of the new printer in MFG. Function is available in the menu of the dialog <Scanning and Objects> / <SO – IP addresses>.
9	SO_IP_SolarisPrinters	Changing the status of the printer into “Solaris”. The function is available in the menu of the dialog <Scanning and Objects> / <SO – IP addresses>.
10	SO_IP_View	Viewing of the dialog <SO – IP addresses>. The dialog is available in the menu of the menu<Scanning and Objects>.
11	SO_SO_Add	Adding new Scannable Object. The function is available in the menu of the dialog <Scanning and Objects> / <Scannable Objects>.
12	SO_SO_AssociationWithUser	Associating SO with the Main User. The function is available in the menu of the dialog <Scanning and Objects> / <Scannable Objects>.
13	SO_SO_AssociationWithPR	Access to association of the SO with PR (Permanent Resource) number. The function is available in the menu of the dialog <Scanning and Objects> / <Scannable Objects>.
14	SO_SO_ChangeToType1	Changing of the object type to “Workstation”. The function is available in the menu of the dialog <Scanning and Objects> / <Scannable Objects>.
15	SO_SO_ChangeToType2	Changing of the object type to “Permanent element of the network”. The function is available in the menu of the dialog <Scanning and Objects> / <Scannable Objects>.
16	SO_SO_HistoryAccess	Accessing the dialog <History of selected SO> from the dialog <Scannable Objects>. The function is available in the menu of the dialog <Scanning and Objects> / <Scannable Objects>.
17	SO_SO_SODelete	Deleting the Scannable Object. The function is available in the menu of the dialog <Scanning and Objects> / <Scannable Objects>.
18	SO_SO_SORename	Access to renaming of the Scannable Object. The function is available in the menu of the dialog <Scanning and Objects> / <Scannable Objects>.
19	SO_SO_View	Viewing of the dialog containing Scannable Objects. The function is available in the menu of the dialog <Scanning and Objects> / <Scannable Objects>.
20	SO_SO-History_Delete	Deleting the record with the history of the selected SO in the dialog <SO-history>. The function is available in the menu of the dialog <Scanning and Objects> / <SO-history >.
21	SO_SO-History_Hide	Hiding the record with the history of the selected SO in the dialog <SO-history>. The function is available in the menu of the dialog <Scanning and Objects> / <SO-history >.
22	SO_SO-History_View	Viewing the dialog with the change history. The dialog is available in the menu <Scanning and

		Objects> / <SO-history>.
23	SO_SO-History2_Delete	Permanent delete of the record with the information read from the history.
24	SO_SO-History2_RecordHide	Hiding the record with the read information simplifying the repeated reading of the history.

11) OP

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	SOFTWARE_Scans %_Access	Viewing of the dialog <Software – utilization %> with the results of scans of the software on the workstations. The dialog is available in the menu <Software and Audits>.
2	SOFTWARE_Scans_View	Viewing of the dialog <Scanned software> displaying the scanned software. The dialog is available in the menu <Software and Audits>.
3	SOFTWARE_Scans-files_Access	Viewing of the dialog <Scanned software - files> displaying the scanned files. The dialog is available in the menu <Software and Audits>.

12) NA

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	TOOLS_Mails_View	Viewing of the dialog <Sending e-mails>. The dialog is available in the menu <Tools>.
2	TOOLS_Services_View	Viewing of the dialog <Services>. The dialog is available in the menu <Tools>.

13) UZ

<i>Lp</i>	<i>Permission name</i>	<i>Description</i>
1	USERS_Edit_Add	Manual adding of the IT user. The dialog is available in the menu <IT Users> / <Users - edit>.
2	USERS_Edit_Change	Changing the information about the IT user. The dialog is available in the menu <IT Users> / <Users -edit>.
3	USERS_Edit_Delete	Deleting the IT user. The dialog is available in the menu <IT Users> / <Users - edit>.
4	USERS_Edit_View	Viewing the dialog for editing the list of IT users The dialog is available in the menu <IT Users> / <Users - edit>.
5	USERS_Scans_View	Viewing the dialog with the scanned users logged on the workstations accessible in the network. The dialog is available in the menu <IT Users> / <Users scanned on workstations>.